alita	tive Eval	Attachment 5- Quality Control Eva				TY EVALUATI
	ittee Member			<u> </u>	Total Score	
Comm	ittee Member				. 3 (2) (3)	0%
					Exceed expectation	
Comm	ittee Member					
			NFIs Te	ender	High quality	85%-94 %
			No:		Good quality	75%-84%
					Bad quality	50%-74%
Comm	ittee Member				very bad quality	50%↓
Commi	ittee Member				Each Yes accounts fo for 0 points	r 1 point, each no accou
					-	rly identified as Iranian will be assigned 0 points
		Bidd	er#			
		New Arr	ival K	it		
		Type: pelush	1			
		Size: 220 cm x 160 cm	1			
1	Single Blanket	Weight: 2115 gr	1			
		with label on side Color: medium light-to-medium dark, plain or with neutral patterns	1			
		Type: pelush	1			
		Size: 230 cm * 180 cm	1			
2	Double blanket	Weight: 2465 gr	1			
		with label on side	1			
		Color: medium light-to-medium dark, plain or with	1			
		Size: 180 x 90 x10 cm	1			
3	Mattress	Density: sponge density will be 20	1			
J	au	washable anti-shrinking cotton cover, with side L-	1			
		color: plain or with pattern.	1			
		Size: 270x 170 cm	1			
4	Floor Mat	Color: neutral	1			
4	1 Iooi Wat	, hasira type	1			
		Double stretched side	1			
		Water proof	1			
		Heavy duty	1			
5	Tarpaulin	Size : 5x4m	1			
		Type : with rings on corners and alongside	1			
		Color : colors, Blue or white.	1			
	Color It	Type Solar lantern	1			
6	Solar lantern	Total light output (lumens) 20 at least.	1			
		Volume: 20 L	1			
7	lown see-	Material: plastic	1			
7	Jerry can	with lid/tap	1			

I		White color, ridged non-collapsible plastic,	1			
	Dooks -: C	2 different polyethylene sacks with 2 different				
8	Packaging Sacks	colors	1			
Winter Kit						
		Type: pelush	1			
		Size: 220 cm x 160 cm	1			
1	Single Blanket	Weight: 2115 gr	1			
		with label on side	1			
		Color: medium light-to-medium dark, plain or with neutral patterns	1			
		Type: pelush	1			
		Size: 230 cm * 180 cm	1			
2	Double blanket	Weight: 2465 gr	1			
		with label on side	1			
		Color: medium light-to-medium dark, plain or with	1			
		Size: 180 x 90 x10 cm	1			
		Density: sponge density will be 20	1			
3	Mattress	washable anti-shrinking cotton cover, with side L-	1			
		color: plain or with pattern.	1			
		Size: 270x 170 cm	1			
		Color: neutral	1			
4	Floor Mat	, hasira type	1			
		Double stretched side	1			
		Water proof	1			
		Heavy duty	1			
5	Tarpaulin	Size : 5x4m	1			
		Type : with rings on corners and alongside	1			
		Color : colors, Blue or white.	1			
6	Packaging Sacks	2 different polyethylene sacks with 2 different colors	1			
		Kitchen	items			
		Specifications and				
#	Items		Yes	Remarks		
		requirement				
		Length: 15-17cm	1			
1	Spoon	Material: stainless steel	1			
	Эрооп	Thickness: min 1mm in the center of the scoop	1			
		no sharp edges, food grade surface finish	1			
2	Cup	Material: stainless steel Finish: no sharp edges	1			
		Volume: 300 ml each	1			
		Capacity: 1L	1			
3	Bowl	Material: stainless steel,	1			
		Finish: no sharp edges	1			
4	Teflon fry pan/w	Diameter: 26 cm	1			
	plastic handle	Capacity: 2.5L	1			

	Toopot with plactic	stainless steel with lid	1	
5	handle	Volume: 1,2 It	1	
		Capacity: 3L	'	
	Cooking not 31	0.000	1	
6	Cooking pot 3L capacity	Thickness: min. 0.8mm	1	
		Material: stainless steel	1	
		Capacity: 5L	1	
7	Cooking pot 5L	Material: stainless steel	1	
,	capacity	Thickness: min. 0.8mm	1	
		Length: 15cm (6")	1	
		Material: stainless steel	1	
8	Kitchen knife	Thickness: min. 0.8mm	1	
		The blade should be protected/covered by a		
		carton or plastic sheet.	1	
		Length: 30cm	1	
9	Ladle	Material: stainless steel	1	
	244.5	Thickness: min 1mm, in the center of the scope	1	
		Finish: no sharp edges	1	
10	Stirring spoon	Length: 30cm	1	
10	ourning spoor	Material: wood	1	
		High level of liquid absorption, rinse and clean	1	
	Sooning and	easily. Material: reinforced cellulose fibres	1	
11	Scouring pad (loopha)		'	
	. 1 -7	Tear resistant: cannot be torn by hand easily.	1	
		Size: minimum 50 x 100 x 150mm	1	
		Metal, stainless food plates	1	
12	Deep plate	Diameter: >18cm	1	
		capacity: 1 Litre	1	
13	Packaging Boxes	Kitchen set will be separated packaged in proper cardboard box which will be packed with other items in the packaging sack.	1	
		Kerosene	Heat	er
		Kerosene		er
1	Kararana hastara		1	er
1	Kerosene heaters	Tank capacity: 5.3L Fuel consumption: 0.31L/H,	1	er
1	Kerosene heaters	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H	1 1	er
1	Kerosene heaters	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene	1 1 1	er
		Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg	1 1 1 1	er
1 2		Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4	1 1 1 1 1 1	er
		Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70%	1 1 1 1 1 1 1	er
		Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass	1 1 1 1 1 1 1 1	er
2	Fire Extinguisher	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent : ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m	1 1 1 1 1 1 1 1 1	er
		Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass	1 1 1 1 1 1 1 1 1 1	er
2	Fire Extinguisher	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent : ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation	1 1 1 1 1 1 1 1 1	er
2	Fire Extinguisher	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White Thickness: 0.8mm	1 1 1 1 1 1 1 1 1 1	er
2	Fire Extinguisher	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White	1 1 1 1 1 1 1 1 1 1 1 1 1	er
2	Fire Extinguisher	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White Thickness: 0.8mm Weight:430g/m2 Volume: 25L	1 1 1 1 1 1 1 1 1 1 1 1	er
2	Fire Extinguisher	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White Thickness: 0.8mm Weight:430g/m2	1 1 1 1 1 1 1 1 1 1 1 1 1	er
2	Fire Extinguisher Fire Blanket	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White Thickness: 0.8mm Weight:430g/m2 Volume: 25L	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	er
3	Fire Extinguisher Fire Blanket	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White Thickness: 0.8mm Weight:430g/m2 Volume: 25L Material: plastic White color, ridged non-collapsible plastic,	1 1 1 1 1 1 1 1 1 1 1 1 1 1	er
3	Fire Extinguisher Fire Blanket	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White Thickness: 0.8mm Weight:430g/m2 Volume: 25L Material: plastic White color, ridged non-collapsible plastic, Two lids should be available, one for filling and	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	er
3	Fire Extinguisher Fire Blanket	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White Thickness: 0.8mm Weight:430g/m2 Volume: 25L Material: plastic White color, ridged non-collapsible plastic,	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	er
3	Fire Extinguisher Fire Blanket	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White Thickness: 0.8mm Weight:430g/m2 Volume: 25L Material: plastic White color, ridged non-collapsible plastic, Two lids should be available, one for filling and	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
3	Fire Extinguisher Fire Blanket	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White Thickness: 0.8mm Weight:430g/m2 Volume: 25L Material: plastic White color, ridged non-collapsible plastic, Two lids should be available, one for filling and the other for pouring.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
3	Fire Extinguisher Fire Blanket	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White Thickness: 0.8mm Weight:430g/m2 Volume: 25L Material: plastic White color, ridged non-collapsible plastic, Two lids should be available, one for filling and the other for pouring. Diesel I medium size. 27 cm inner diameter size. The stove outer chassis is made of iron coated	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
3	Fire Extinguisher Fire Blanket	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White Thickness: 0.8mm Weight:430g/m2 Volume: 25L Material: plastic White color, ridged non-collapsible plastic, Two lids should be available, one for filling and the other for pouring. Diesel I medium size. 27 cm inner diameter size. The stove outer chassis is made of iron coated with Porcelain	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
3	Fire Extinguisher Fire Blanket	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White Thickness: 0.8mm Weight:430g/m2 Volume: 25L Material: plastic White color, ridged non-collapsible plastic, Two lids should be available, one for filling and the other for pouring. Diesel h medium size. 27 cm inner diameter size. The stove outer chassis is made of iron coated with Porcelain Round glass stove door (Heat resistant).	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
3	Fire Extinguisher Fire Blanket	Tank capacity: 5.3L Fuel consumption: 0.31L/H, Heat output: 9000 BTU/H Fuel: kerosene Capacity: 1kg Total Weight (kg): 2.4 Extinguishing Agent: ABC Powder 70% Material:100% Fiberglass Size: 1m x 1m Usage/Application:Insulation Color: White Thickness: 0.8mm Weight:430g/m2 Volume: 25L Material: plastic White color, ridged non-collapsible plastic, Two lids should be available, one for filling and the other for pouring. Diesel I medium size. 27 cm inner diameter size. The stove outer chassis is made of iron coated with Porcelain	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

_				
1		The cover of the portable device is made of	1	
		Font. Stove upper cover piece is made of Font.	1	
		Fuel tank: Metal galvanized diesel tank	1	
		tank size: 5 litres capacity	1	
		with filter and all its related accessories	1	
		Colour: black, Good quality	1	
2	Stovepipes (80 cm		1	
2		black color. Porcelain-coated to resist heat and		
		rust without changing its colour.	1	
	Chayaninaa (40 am	Colour: black, Good quality	1	
3	Stovepipes (40 cm length)	Length: 40 cm, black color. Porcelain-coated to resist heat and	1	
	0 ,	rust without changing its colour.	1	
	Elbow joint pipes	Colour: black.	1	
4	90°	Porcelain-coated to resist heat and rust without	1	
		changing its colour	1	
5		Capacity: 1kg Total Weight (kg): 2.4	1	
3			1	
		Extinguishing Agent : ABC Powder 70% Material:100% Fiberglass	1	
		Size: 1m x 1m	1	
		Usage/Application:Insulation	1	
6	Fire Blanket	Color: White	1	
		Thickness: 0.8mm	1	
		Weight:430g/m2	1	
		coated with Porcelain to resist heat and rust	'	
7	Plate		1	
		with legs to raise it on the ground	1	
		Volume: 25L	1	
		Material: plastic		
_		•	1	
8		White color, ridged non-collapsible plastic,	1	
		Two lids should be available, one for filling and		
		the other for pouring.	4	
		Iron come and iron mach	1	
		Iron cage and iron mesh Square shape with door and lock	- 1	
		equal o shape with door and look	1	
		Frames made of square hollow section H 13		
9	Metallic protection	mm x W 13 mm x WT 1.8 mm	1	
		Removable		
		L 1m x H 1m x W 1m.		
			1	
		Dignit	v Kit	
			y IXIL	
		Rechargeable LED Torchlight with electrical charger for indoor charging and solar system for	1	
		outdoor charging		
1	Solai-powered	Bright 1W LEDs, about 50 meters lighting	1	
1	hand torch.	distance	1	
		The flashlight could work continuous about 4		
		hours	1	
		Good quality with handles and zippers.		
	Madium bag good		1	
2		large enough to hold contents of kits.	1	
	1	large enough to hold one 15L bucket, clothes	1	
3	Whistle	and other dignity items. Tool has a clear, high-pitched sound.	1	
<u> </u>	VVIIIOUG		<u>'</u>	
		Long pants style.	1	
4	Women's	100% cotton.	1	
7	underwear	White or black only.	1	
		Size XL, L, M and S	1	
		Cotton 100%		
5	Cotton veil	COROTI 10076	1	
=	120*40cm	Different colors except blue.	1	
	L	<u> </u>	L	ļ

		Short pants style.	1	
6	Women's	100% cotton	1	
О	underwear	Black or tan	1	
		Size XL, L, M and S	1	
		Without underwire	1	
		Thin lining.	1	
7	Bra	Cotton.	1	
		Good quality.	1	
		Different colors	1	
		Size XL, L, M and S	1	
8	Cotton bath towel	1 large size 120*90cm,	1	
0	Cotton bath tower	100% cotton	1	
		Tall, knee-length.Women's style/sizes	1	
9	Women's socks	Heavy, warm, for WINTER.	1	
		. Black or dark brown color only.	1	
	Plastic slipper	Good quality open toe sandal, without heels.	1	
10	shoes	Size 38, 39, 40 and 41	1	

	Attachment 5- Quality Control Evaluation Questionnaire (English).					
	Qualitative	Evaluation For LH NFIs	- SA	MPLE	QUALITY E	VALUATION
Con	nmittee Member				Total Score	
Com	nmittee Member				Exceed expectation	95%-100 %
					High quality	85%-94 %
			NFIs Tender No:		Good quality	75%-84%
			Tend	ier No:	Bad quality	50%-74%
Com	nmittee Member				very bad quality Each Yes accounts for	50%↓ 1 point, each no account for 0
					-	ly identified as Iranian
		Bidd	er#		source/origin good w	ill be assigned 0 points
		Digital Egg poultry I	ncul	bator	Machine	
		Capacity: 160 – 200 eggs.	1			
		Voltage:220V.	1			
		Structure: Strong and durable (plastic and wooden not acceptable).	1			
	Digital Egg Incubator	High Hatching Rate: At minimum average 95%	1			
		Durable: Automatic control for temperature and wet.	1			
		Automatic Egg Turning: 160V-220V. 50Hz.	1			
4		Full automatically temperature, humidity, egg turning controlling	1			
1	Machine	Full automatically cooling and ventilator.	1			
		Full automatically alarming (Over/less temperature humidity Alarm).	1			
		Microcomputer, completely automatic incubator.	1			
		Needs 1 ampere to function.	1			
		Temperature measurement range: 0-99°C.	1			
		Temperature measurement accuracy: ±0.1°C	1			
		Humidity measurement range: 0-99%RH	1			
		Humidity accuracy: ±5%RH	1			
		Acid Battery Type Local manufacturing	1			
		200 AH	1			
•	Acid Battery / Local	25 black (Minimum)	1			
2	manufacturing	Excellent safety performance Good discharging performance Good stock-proof performance Good impact-proof performance. Good resistance to over discharge Good resistance to overcharge	1			
		1200W	1			
		Input DC 12V				
		Output AC 220V 2A	1			
		Local manufacturing (Syria made)	1			
3	Inverter with charger and	Local manufacturing (Syria made)	1			

I 1	capies for confidenting	With digital voltage screen		
			1	
		30Ah the charger capacity.	1	
		Copper Cable)6mm X 1m) with Lug Connectors	1	
		Drip irriga	ation	Kit
		plastic drip Tape Couplings – Used to connect	1	
		two pieces of Drip Tape. Drip Tubing Couplings with one nut on each	1	
1	Plastic Tubing Couplings	end diameter is 17 mm on each side		
			1	
		Polypropylene/PVC connector fittings Black mulch film	1	
		Length 1100 Meter.	1	
		Covering area of 900 M2		
		Width: minimum 80 cm - maximum 100cm.	1	
2	Agriculture black Mulch		1	
		UV material absorbs UV rays, anti UV rays.	1	
		with label on side explaining diagrams		
		Coiled in roll form, thickness minimum 16 Micron.	1	
		Flat drip irrigation tape	1	
		The weight of the roller is 9.7 kg at minimum.	1	
		The distance between the drops is 10 cm	1	
3	Drip tubes roll (striped	Tube diameter 16 mm, flexible, 6 mm thick	1	
J	laser tubes)	The filtering system works at a discharge of 15 I / m / h.	1	
		The points are in the form of a slide, not a hole, and equipped with internal pores.	1	
		Manufactured by a European company or equivalent	1	
		with nut and separation after the nut	1	
4	mini valve (Tap) for drip irrigation (Laser	inlet diameter from main line side 16mm	1	
	Type)/16 mm	diameter of outlet side of nut nut 17mm Suitable for PE, PVC, Drip tape,layflat hose	1	
5	Irrigation rubber seal	Plastic Ring 16mm	1	
6	PVC Flush valve end	PVC end stop 2 Inch	1	
6	cap to be used for the main irrigation pipe PVC Flush valve end	wi1 inch exit with 1inch plastic stopper	1	
7	cap of the drip irrigation	the end of PE Drip tube irrigation 16 mm material PVC	1	
	tube	Reducer 1>3/4 inch, 3/4 side is serrated ,	1	
8	Reducer 1-3/4	1inch side not serrated, hard plastic	1	
9	Hex pipe nipple	Hex pipe nipple with 3/4 inches size, male double sides made of PVC or galvanized	1	
	p.po ppio	male double sides made of PVC or galvanized metal	1	
10	Hose connector	2 inches PVC pipe connector A 2-inch mesh filter	1	
11	Mesh Water - Filter	external serrated tip that contains a network that filters the water out of impurities before	1	
		entering the drip network Inner-side hardened 2 inch	1	
12	2 inches nut	made of PVC or galvanized metal	1	
13	line starter	2-inch line is serrated externally from one end and the other end is a thorn	1	
		The 2-inch main tube is made of hard plastic	1	
14	Threaded PVC Ball Valve	Serrated 2 inch with two fingers with a key	1	
		A 2-inch stud has a 3/4 inch slot that is fitted with two pieces	1	
15	PVC 2 inches link	ontains a cylinder inside To prevent water leakage and equipped	1	
		bolts and fasteners for fastening and tightening	1	
16	Тар	The 3/4 inch tap	1	
10	· up	made of PVC or galvanized metal	1	

(10)				
17	Plastic hose with linen fibers for fertilizer injector	Clear plastic hose Linen fibers threaded bearing with a pressure of 1 inch	1	
18	3/4 ball valve	Serrated from both sides 3/4 inch	1	
		made of PVC or galvanized metal Hose clamp mental size 1 inch with Phillips		
19	Hose clamp	Drive screw head	1	
20	Hole Drill Bit	Agro Drip Irrigation 16mm Hole	1	
20	Tible Bill Bit	Drill Bit iron Hand or plastic hand Tool to Make Hole in 2 inches PVC Pipes	1	
21	Teflon	Big size special usage for drip irrigation systems	1	
22	PVC Main irrigation pipe 2 inches	Made of 2-inch polyethylene	1	
	2 inches	external diameter of 55 mm Non-woven fabric for crop greenhouse flowers	1	
		and plants	1	
23	Non-woven fabric for covering Vegetables	anti-insect eco-friendly cold-proof	1	
23	seedlings and protect it	the length 400 M	1	
		wedth 2.5 M		
		the weight 17 g/m2 PVC Plastic pipes, 3l4 Inch	1	
24	Plastic Pipe	the length of each pipe is 4 M	1	
		Metal Bars	1	
25	Metal bars (Iron)	Length: 50 cm		
-		Thickness: 10 mm	1	
	Plastic for vegetables	anti UV White Plastic Thickness: 80 microns	1	
26	nurseries	Thiothoga. or fillorona	1	
		-Width: 4 meters	1	
		Europe origin or equivalent	1	
27	Peat Moss	minimum 70 litte	1	
		packed in a woven polyethylene bag.	1	
		Ultra-Durable	1	
		High-Quality 72 Cells ,	1	
		Domes and Trays are NOT flimsy or brittle.	1	
28	Seedling plastic tray A	Won't crack or break while handling	1	
		Tray : Length 53.5 cm, width 28 cm,	1	
		weight of dish approximately 120 grams	1	
		Dimensions of one cell: 4 cm width, 4 cm length, 5 cm cell depth	1	
		Ultra-Durable	1	
		High-Quality	1	
		105 Cells ,	1	
20	Candling of the Co.	Domes and Trays are NOT flimsy or brittle.	1	
29	Seedling plastic tray B	Won't crack or break while handling	1	
		Tray : Length 54 cm, width 28 cm,	1	
		weight of dish approximately 120 grams Dimensions of one cell: 3.5 cm width, 3.5 cm	1	
		length, 5 cm cell depth	1	
20	Familia e de la como	Fertilizer injector with a minimum 50 liter tank	1	
30	Fertilizer injector	cylindrical, with 1 inch front exit and inlet	1	
		BHA Drip irr	igati	on Kit
		plastic drip Tape Couplings – Used to connect		
		two pieces of Drip Tape.	1	
1	Plastic Tubing Couplings	Drip Tubing Couplings with one nut on each end	1	
]		diameter is 17 mm on each side	1	
		Polypropylene/PVC connector fittings	1	
		Black mulch film	1	
		Length 1100 Meter.	1	
		Covering area of 900 M2	1	
2	Agriculture black Mulch	Width: minimum 80 cm - maximum 100cm.	1	
-		UV material absorbs UV rays, anti UV rays.	1	
		·	1	
		with label on side explaining diagrams Coiled in roll form, thickness minimum 16		
		Micron.	1	
I		Flat drip irrigation tape	1	

		The weight of the roller is 9.7 kg at minimum.	1	
	Drip tubes roll (striped	The distance between the drops is 10 cm	1	
		Tube diameter 16 mm, flexible, 6 mm thick	1	
3	laser tubes)	The filtering system works at a discharge of 15 I / m / h.	1	
		The points are in the form of a slide, not a hole, and equipped with internal pores.	1	
		Manufactured by a European company or	1	
	and the American Land	equivalent with nut and separation after the nut	1	
4	mini valve (Tap) for drip irrigation (Laser	inlet diameter from main line side 16mm	1	
	Type)/16 mm	diameter of outlet side of nut nut 17mm Suitable for PE, PVC, Drip tape,layflat hose	1	
5	Irrigation rubber seal	Plastic Ring 16mm	1	
	ring PVC Flush valve end	PVC end stop 2 Inch	1	
6	cap to be used for the	wi1 inch exit with 1inch plastic stopper	1	
	main irrigation pipe PVC Flush valve end	the end of PE Drip tube irrigation 16 mm	1	
7	cap of the drip irrigation tube	material PVC	1	
8	Reducer 1-3/4	Reducer 1>3/4 inch, 3/4 side is serrated ,	1	
	Reducer 1-3/4	1inch side not serrated, hard plastic	1	
9	Hex pipe nipple	Hex pipe nipple with 3/4 inches size, male double sides made of PVC or galvanized	1	
		metal	1	
10	Hose connector	2 inches PVC pipe connector	1	
11	Mesh Water - Filter	A 2-inch mesh filter external serrated tip that contains a network that filters the water out of impurities before	1	
		entering the drip network Inner-side hardened 2 inch	1	
12	2 inches nut	made of PVC or galvanized metal	1	
12	line starter	2-inch line is serrated externally from one end and the other end is a thorn	1	
13	line starter	The 2-inch main tube is made of hard plastic	1	
14	Threaded PVC Ball Valve	Serrated 2 inch with two fingers with a key	1	
		A 2-inch stud has a 3/4 inch slot that is fitted with two pieces	1	
15	PVC 2 inches link	ontains a cylinder inside	1	
15	1 VO 2 INCHES IIIK	To prevent water leakage and equipped bolts and fasteners for fastening and tightening	1	
		The 3/4 inch tap	1	
16	Тар	made of PVC or galvanized metal	1	<u> </u>
17	Plastic hose with linen fibers for fertilizer injector	Clear plastic hose Linen fibers threaded bearing with a pressure of 1 inch	1	
18	3/4 ball valve	Serrated from both sides 3/4 inch	1	
		made of PVC or galvanized metal Hose clamp mental size 1 inch with Phillips	1	
19	Hose clamp	Drive screw head	1	
20	Hole Drill Bit	Agro Drip Irrigation 16mm Hole Drill Bit iron Hand or plastic hand Tool to Make	1	
21	Teflon	Hole in 2 inches PVC Pipes Big size special usage for drip irrigation systems	1	
		Made of 2-inch polyethylene	1	
22	2 inches	external diameter of 55 mm	1	
		Non-woven fabric for crop greenhouse flowers and plants	1	
23	Non-woven fabric for covering Vegetables	anti-insect eco-friendly cold-proof	1	
	seedlings and protect it	the length 400 M wedth 2.5 M	1	
		the weight 17 g/m2	1	
24	Plastic Pipe	PVC Plastic pipes, 3l4 Inch	1	
	Flasuc Fipe	the length of each pipe is 4 M	1	
25	Metal bars (Iron)	Metal Bars Length: 50 cm Thickness: 10 mm	1	
		anti UV White Plastic	1	
•	I			

26	Plastic for vegetables nurseries	Thickness: 80 microns	1	
	nuisenes	-Width: 4 meters	1	
		Ultra-Durable	1	
		High-Quality	1	
		72 Cells ,	1	
		Domes and Trays are NOT flimsy or brittle.	1	
27	Seedling plastic tray A	Won't crack or break while handling	1	
		Tray: Length 53.5 cm, width 28 cm,	1	
		weight of dish approximately 120 grams	1	
		Dimensions of one cell: 4 cm width, 4 cm	1	
		length, 5 cm cell depth Ultra-Durable	1	
		High-Quality	1	
		105 Cells ,	1	
		Domes and Trays are NOT flimsy or brittle.	1	
28	Seedling plastic tray B	Won't crack or break while handling	1	
		Tray : Length 54 cm, width 28 cm,	1	
		weight of dish approximately 120 grams	1	
		Dimensions of one cell: 3.5 cm width, 3.5 cm	1	
		length, 5 cm cell depth	'	
29	Fertilizer injector	Fertilizer injector with a minimum 50 liter tank	1	
		cylindrical, with 1 inch front exit and inlet	1	
20	Matallian	Length 2 meters	1	
30	Metal bars	thickness 5 m	1	
	1	Weight 366 g	1	
		UV nylon is used to cover the tunnels used in agriculture in plastic tunnels and in low green	1	
		houses,		
		the length of the roll is 400 meters	1	
		the width 2 meters	1	
31	Nylon to cover plastic	the thickness 60 microns	1	
31	tunnels	covers an area of 800 square	1	
		the weight of the rollers between 49 kg to 50 kg	1	
		the product must be attached with a label prove		
		the specifications, this item should be supported	1	
		with certificate of origin (or attach catalogue)		
		Plastic Tu	ınne	el kit
		plastic drip Tape Couplings – Used to connect	1	
		two pieces of Drip Tape.		
1	Plastic Tubing Couplings	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end	1	
1	Plastic Tubing Couplings	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each		
1	Plastic Tubing Couplings	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side	1	
1	Plastic Tubing Couplings	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings	1 1	
1	Plastic Tubing Couplings	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film	1 1 1	
1	Plastic Tubing Couplings	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter.	1 1	
1	Plastic Tubing Couplings	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film	1 1 1	
2		two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter.	1 1 1 1	
	Plastic Tubing Couplings Agriculture black Mulch	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm.	1 1 1 1 1 1 1	
		two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2	1 1 1 1 1	
		two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm.	1 1 1 1 1 1 1	
		two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16	1 1 1 1 1 1 1	
		two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron.	1 1 1 1 1 1 1	
		two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron. Flat drip irrigation tape	1 1 1 1 1 1 1 1	
		two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron.	1 1 1 1 1 1 1	
		two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron. Flat drip irrigation tape The weight of the roller is 9.7 kg at minimum.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron. Flat drip irrigation tape	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
2	Agriculture black Mulch	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron. Flat drip irrigation tape The weight of the roller is 9.7 kg at minimum.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron. Flat drip irrigation tape The weight of the roller is 9.7 kg at minimum.	1 1 1 1 1 1 1 1 1 1 1 1 1	
2	Agriculture black Mulch	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron. Flat drip irrigation tape The weight of the roller is 9.7 kg at minimum. The distance between the drops is 10 cm Tube diameter 16 mm, flexible, 6 mm thick	1 1 1 1 1 1 1 1 1 1 1 1 1	
2	Agriculture black Mulch	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron. Flat drip irrigation tape The weight of the roller is 9.7 kg at minimum. The distance between the drops is 10 cm Tube diameter 16 mm, flexible, 6 mm thick The filtering system works at a discharge of 15 l / m / h.	1 1 1 1 1 1 1 1 1 1 1	
2	Agriculture black Mulch	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron. Flat drip irrigation tape The weight of the roller is 9.7 kg at minimum. The distance between the drops is 10 cm Tube diameter 16 mm, flexible, 6 mm thick The filtering system works at a discharge of 15 l	1 1 1 1 1 1 1 1 1 1 1	
2	Agriculture black Mulch	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron. Flat drip irrigation tape The weight of the roller is 9.7 kg at minimum. The distance between the drops is 10 cm Tube diameter 16 mm, flexible, 6 mm thick The filtering system works at a discharge of 15 l/m/h. The points are in the form of a slide, not a hole, and equipped with internal pores.	1 1 1 1 1 1 1 1 1 1 1	
2	Agriculture black Mulch	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron. Flat drip irrigation tape The weight of the roller is 9.7 kg at minimum. The distance between the drops is 10 cm Tube diameter 16 mm, flexible, 6 mm thick The filtering system works at a discharge of 15 l / m / h. The points are in the form of a slide, not a hole, and equipped with internal pores. Manufactured by a European company or	1 1 1 1 1 1 1 1 1 1 1	
2	Agriculture black Mulch Drip pipe roll	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron. Flat drip irrigation tape The weight of the roller is 9.7 kg at minimum. The distance between the drops is 10 cm Tube diameter 16 mm, flexible, 6 mm thick The filtering system works at a discharge of 15 l/m/h. The points are in the form of a slide, not a hole, and equipped with internal pores.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
2	Agriculture black Mulch	two pieces of Drip Tape. Drip Tubing Couplings with one nut on each end diameter is 17 mm on each side Polypropylene/PVC connector fittings Black mulch film Length 1100 Meter. Covering area of 900 M2 Width: minimum 80 cm - maximum 100cm. UV material absorbs UV rays, anti UV rays. with label on side explaining diagrams Coiled in roll form, thickness minimum 16 Micron. Flat drip irrigation tape The weight of the roller is 9.7 kg at minimum. The distance between the drops is 10 cm Tube diameter 16 mm, flexible, 6 mm thick The filtering system works at a discharge of 15 l / m / h. The points are in the form of a slide, not a hole, and equipped with internal pores. Manufactured by a European company or equivalent	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

	IIIIgation (Lasor			
'	Type)/16 mm	diameter of outlet side of nut nut 17mm	1	
		Suitable for PE, PVC, Drip tape,layflat hose	1	
5	Irrigation rubber seal ring	Plastic Ring 16mm	1	
6	PVC Flush valve end cap to be used for the	PVC end stop 2 Inch	1	
	main irrigation pipe	wi1 inch exit with 1inch plastic stopper	1	
_	PVC Flush valve end	the end of PE Drip tube irrigation 16 mm	1	
7	cap of the drip irrigation tube	material PVC	1	
8	Hose connector	2 inches PVC pipe connector	1	
		A 2-inch mesh filter	1	
9	Mesh Water - Filter	external serrated tip that contains a network that filters the water out of impurities before entering the drip network	1	
10	2 inches nut	Inner-side hardened 2 inch	1	
		made of PVC or galvanized metal 2-inch line is serrated externally from one end	1	
11	line starter	and the other end is a thorn	1	
	Three ded DVC Dell	The 2-inch main tube is made of hard plastic	1	
12	Threaded PVC Ball Valve	Serrated 2 inch with two fingers with a key	1	
13	Тар	The 3/4 inch tap	1	
		made of PVC or galvanized metal	1	
14	Hole Drill Bit for Agro Drip Irrigation pipe	Agro Drip Irrigation 16mm Hole Drill Bit iron Hand or plastic hand Tool to Make Hole in 2 inches PVC Pipes	1	
15	Teflon	Big size special usage for drip irrigation systems	1	
16		Made of 2-inch polyethylene	1	
	2 inches	external diameter of 55 mm	1	
		UV nylon is used to cover the tunnels used in agriculture in plastic tunnels and in low green houses,	1	
		the length of the roll is 400 meters	1	
	Nylon to cover plastic tunnels	the width 2 meters	1	
17		the thickness 60 microns	1	
		covers an area of 800 square	1	
		the weight of the rollers between 49 kg to 50 kg	1	
		the product must be attached with a label prove the specifications. this item should be supported with certificate of origin (or attach catalogue)	1	
10	Diantia Dian	PVC Plastic pipes, 3l4 Inch	1	
18	Plastic Pipe	the length of each pipe is 4 M	1	
		Metal Bars	1	
19	Metal bars (Iron)	Length: 50 cm		
		Thickness: 10 mm	1	
20	Plastic for vegetables	anti UV White Plastic Thickness: 80 microns		
20	nurseries		1	
		-Width: 4 meters	1	
		Europe origin or equivalent	1	
21	Peat Moss	minimum 70 litte	1	
		packed in a woven polyethylene bag.	1	
		Ultra-Durable	1	
		High-Quality	1	
1		72 Cells ,	1	
		Domes and Trays are NOT flimsy or brittle.	1	
22	Seedling plastic tray A	Won't crack or break while handling	1	
		Tray: Length 53.5 cm, width 28 cm,	1	
1		weight of dish approximately 120 grams	1	
1		Dimensions of one cell: 4 cm width, 4 cm length, 5 cm cell depth	1	
		Ultra-Durable	1	
1		High-Quality	1	
1		105 Cells ,	1	
		Domes and Trays are NOT flimsy or brittle.	1	
23	Seedling plastic tray B	Won't crack or break while handling	1	
		Tray: Length 54 cm, width 28 cm,	1	
		weight of dish approximately 120 grams	1	
				-

		Dimensions of one cell: 3.5 cm width, 3.5 cm length, 5 cm cell depth	1	
		2500 seeds, suitable for growing in plastic tunnels,	1	
	E4 h 1 d 1	the purity should not be less than 98 percent,	1	
24	F1 hybrid cucumber seeds	the germination rate should not be less than 90 percent.	1	
		And that the seeds be one of the well-known international companies and known by farmers in NES.	1	
		Hybrid tomato seeds F1, produced by a well- known international company and known by farmers in NES	1	
25	Hybrid tomato seeds F1	early production, suitable for growing in plastic tunnels	1	
		germination percentage: 90%, purity 99%, the envelope contains 1000 seeds	1	
		manual pesticide spray with capacity of 5 L	1	
26	manual pesticide spray	This sprayer is featuring a durable PE body	1	
	with capacity of 5 L	with a safety pressure release valve and an adjustable spray pattern.	1	
27	Plastic hose with linen fibers for fertilizer injector	Clear plastic hose Linen fibers threaded bearing with a pressure of 1 inch	1	
		Length 2 meters	1	
28	Metal bars	thickness 5 m	1	
		Weight 366 g	1	

	Attachment 5- Quality Control Evaluation Questionnaire (English).					
	Qualitative Evaluation For WASH NFIs - SAMPLE QUALITY EVALUATION					
Con	nmittee Member				Total Score	
						0%
Com	nmittee Member				Exceed expectation	95%-100 %
			NFIs 7	Γender	High quality Good quality	85%-94 % 75%-84%
			No:		Bad quality	50%-74%
Con	nmittee Member				very bad quality	50%↓
					points	
					NOTE: Any item clearly identi source/origin good will be as:	
		Bidder#				•
		Hygiene kits (D	urabl	e)		
		Capacity: 20 liters	1			
1	Water bucket	Material: plastic. with lid	1			
		Durable, good plastic, not recycled.	1			
,	Washing b = -!-	Diameter: 60 -70 cm	1			
2	Washing basin	Material: plastic. Durable, good plastic, not recycled.	1 1			
		Capacity: 2 liters	1			
3	Water jug	Material: plastic.	1			
		with lid and handle Durable, good plastic, not recycled.	1			
		Length: 163-185 mm maximum, bristles: medium hardness, with rounded edges.	1	1		
		Made of nylon.	1	ı		
	Tooth brush Adult	Height of bristle: 11mm +/-1mm.	1	ı		
		Head size: 25mm length and not more 12mm wide. Colour: various.	1	1		
4		Packing: individual polyethylene with cover for head Length: 120 - 163 mm maximum, bristles: soft hardness, with	1	I		
	Tooth brush children	rounded edges. Made of nylon.	1	!		
		Height of bristle: 11mm +/-1mm. Head size: maximum 20mm length and not more 9.5mm wide. Colour: various.	1	1		
		Packing; individual polyethylene with cover for head.	1	ı		
5	Mug	2 item, Metal, stainless steel,	1			
-	_	capacity – 175-200 ml. Made from generic plastic,	1	1		
6	Hair comb	maximum 220 mm long,	1	1		
		twin type tooth spacing (one side wide and one narrow).	1			
7	Hair brush	Made from generic plastic, with handle, with no sharp edges,	1			
		Material: stainless steel chromium plated	1	ı		
8	Nail clipper	Color: metallic	1	<u> </u>		
		Size: medium (80 mm) Made of 100% cotton.	1			
	Bathing Towel	Medium size: 60x100 cm minimum.	1	1		
9		Pastel colors, not white.	1	ı		
		Fibers cannot be pull easily by hand. 450 gram per square meter minimum	1			
	Kitchen Towel	Made of 70% to90 % cotton	1			
10		Size: 30x50 cm minimum.	1			
		Fibers cannot be pull easily by hand.	1	ı		
11	Packaging	Items (with specifications) will be listed in arabic and English on box,	1	1		
		On cardboard box will be arrow sign, Cardboard box will be 5 layers , proper packaging with strap	1			
		Hygiene kits (Cor	suma	able)		
		Soap bar 90 gr	4			
	l		l	'		

City and the embers a year or expectation deline or belief Active experiment all or on head of a company of the	1 Body soap Official stamp and number from country of origin.					
2 Bibble (included boats) and control and	1	Body soap		1		
Song (sinck-set) shorts And in Programs And in Programs				1		
Sook (procedual cody) Analysis of these Individual Sook (Social Cody) Analysis of the Social Socia			Produced locally olive oil based soap.	1		
2 Interest and second cooperations alread this welfance continued in the plant of the second cooperation alread this welfance continued in the company and an article cooperation and an article cooperation and an article cooperation and an article cooperation and article			natural fragrance.	1		
Accordance should be written on sales when the same of the same of the special policy and the same of the				1		
Personage sear of them 100 games and recognized placets numbers of a country of the country of the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of them 100 games and recognized by the country of the country o	2	olive oil based soap)	SNIT.			
8 exprisy dates on the bible of Schrift Schrif						
Table Tabl				1		
Table Tabl						
Placeng in unbreatable and individual plastic contex of 200m and not consisted states of the context of the con				1		
Placeng in unbreatable and individual plastic contex of 200m and not consisted states of the context of the con			-1154-0			
Signature of the Sharangoo Signature of State of		Hair Shampoo	рн 5 то 9.	1		
Section Sect	_			1		
Fashbor conjustmentions should be written on islabil The chalterprocess should be in purpose comparison consistency therein and it can have the sealant of charter in an interest imposes on should be a written on interest the charter of comparison of comparison of comparison of purpose and in chartery of the chartery	3			1		
testure and it can be the testure of clean that is half hardened or get year with a strong frequency. 1						
get type with no strong fragurance. Packang in plastic container of 500 of 1000 greats with sealing lines. Packang in plastic container of 500 of 1000 greats with sealing lines. Packang sin plastic container of 500 of 1000 greats with sealing lines. Packang sin plastic container of 500 of 1000 greats with sealing lines. Packang sin plastic social sealing since in the field plastic p						
Laundry defended provides and the sentence of				1		
Laundry defended provides and the sentence of						
Arbitic explanations should not written on states Laurardy deterigent provider Author explanations with the state of the			Packing: in plastic container of 500 or 1000 grams with sealing liner.	1		
Soublity 99% pris 925-11.00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4	Liquia aish soap				
Samilary detergrant provider Processing				1		
Example (P2OS) free 1 Substitute (P2OS) f				1		
Laundry deteringment				1		
Substate for both hand and machine washing. Arabic explanations should be written on label explanations should be written on label. PE big pecking including black number & expiry date. 1 Sanitary naphra As Sanitary naphra		Laundry detergent	Prospnate (P2O5) free	1		
exity date on the label PE beg packing including batch number & explay date. Individual packaging, each napkin absorbed, breathable with wings, 8 Pac per pack, All Control packet Packet plannisted with each label Packet permands with each label Packet	5		Suitable for both hand and machine washing.	1		
exity date on the label PE beg packing including batch number & explay date. Individual packaging, each napkin absorbed, breathable with wings, 8 Pac per pack, All Control packet Packet plannisted with each label Packet permands with each label Packet			Arabic explanations should be written on label			
Sanitary naphine Individual packaging, each napkin absorbed, breasthable with wings. 1						
Sanitary napkins			PE bag packing including batch number & expiry date.	1		
Arabic explanation will be on label 1			Individual packaging, each napkin absorbed, breathable with wings,	1		
To find tube pH: 5.00-10.00 with calcium and fluoride only. 1 Packing: Imminated tubes with screw cap and safety seal 1 Anable explanations should be written on label 1 Finduses batch number & exprey date. 1 Type 3-6 kg. 1 pack of 20 pinces. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. 1 Expire and production dat	6	Sanitary napkins	6 Pcs per pack.	1		
Tooth paste			Arabic explanation will be on label	1		
Tooth paste				1		
Arabic explanations should be written on label includes batch number & expiry date. 1	7	Tooth posts		1		
Rotudes batch number & expiry date. 1	,	Tooth paste		1		
Type 3-6 kg. pack of 20 pieces. 1				1		
Arabic explanation will be on label. Expire and production date will be on label. Expire and production date will be on label. 1			i i	1		
Arabic explanation will be on label. Expire and production date will be on label. Expire and production date will be on label. 1			pack of 20 pieces.	1		
Expire and production date will be on label. 1	8			1		
Best quality in the market.		Diaper	·	1		
Type 5-9 kg.				1		
Pack of 20 pieces. 1 Child. Disposable Diaper Arabic explanation will be on label. Expire and production date will be on label. 1 Best quality in the market. 1 For multipurpose liquid cleaner Arabic explanation will be on label. 1 Expire and production date will be on label. 1 Expire and production date will be on label. Expire and production date will be on label. 1 Packing: in plastic container of 900 ML with sealing liner. 1 Tim stainless steel blade Arabic explanation should be written on label. 1 Tim stainless steel blade Arabic explanations should be written on label. 1 Color: preferably dark blue. 1 Shaving cream Arabic explanations should be written on label. 1 Shaving cream, cool, moisturizing 1 Individual packing. Sponge for dishwashing lofa Sponge for dishwashing Pack of 3 good quality 1 Items (with specifications) will be listed in arabic and English on box. 1 Packaging On cardboard box will be 5 layers, proper packaging with strap In a plastic container. 1 Baby kit						
Arabic explanation will be on label. 10 multipurpose liquid cleaner 11 Shaving razors (Pack of 5.) Shaving cream 12 Shaving cream 13 Dishwashing lofa 14 Packaging 15 Individual packing. 16 Individual packing. Sponge for dishwashing Pack of 3 good quality 16 Individual packing. 17 In a plastic container. 18 Individual packing. Sponge for dishwashing Pack of 3 good quality In a plastic container. 1 In a plastic container.			Type 5-9 kg.	1		
Expire and production date will be on label. Best quality in the market. 1 For multipurpose liquid cleaner		Child. Disposable Diaper	pack of 20 pieces.	1		
Best quality in the market. 1 multipurpose liquid cleaner For multipurpose liquid cleaner Arabic explanation will be on label. Expire and production date will be on label. 11 Shaving razors (Pack of 5.) Shaving reames (Shaving creames) Shaving creames (Shaving creames) Shaving creames (Shaving creames) Arabic explanations should be written on labeles 12 Shaving creames (Shaving creames) Arabic explanations should be written on labeles 13 Dishwashing lofaes Best quality in the market. 14 Packaging For multipurpose liquid cleaner 15 Twin stainless steel blade 16 Twin stainless steel blade 17 Twin stainless steel blade 18 Twin stainless steel blade 19 Trim stainless steel blade 10 Tolor: preferably dark blue. 11 Arabic explanations should be written on labeles 11 Tolor: preferably dark blue. 11 Trim stainless steel blade 11 Tolor: preferably dark blue. 11 Trim stainless steel blade 11 Tolor: preferably dark blue. 11 Trim stainless steel blade 12 Trim stainless steel blade 13 Trim stainless steel blade 14 Trim stainless steel blade 15 Trim stainless steel blade 16 Trim stainless steel blade 16 Trim stainless steel blade 17 Trim stainless steel blade 16 Trim stainless steel blade 17 Trim stainless steel blade 18 Trim stainless steel blade 19 Trim stainless steel blade 10 Trim stainless steel blade 11 Trim stainless st	9		Arabic explanation will be on label.	1		
Best quality in the market. 1 multipurpose liquid cleaner For multipurpose liquid cleaner Arabic explanation will be on label. Expire and production date will be on label. 11 Shaving razors (Pack of 5.) Shaving reames (Shaving creames) Shaving creames (Shaving creames) Shaving creames (Shaving creames) Arabic explanations should be written on labeles 12 Shaving creames (Shaving creames) Arabic explanations should be written on labeles 13 Dishwashing lofaes Best quality in the market. 14 Packaging For multipurpose liquid cleaner 15 Twin stainless steel blade 16 Twin stainless steel blade 17 Twin stainless steel blade 18 Twin stainless steel blade 19 Trim stainless steel blade 10 Tolor: preferably dark blue. 11 Arabic explanations should be written on labeles 11 Tolor: preferably dark blue. 11 Trim stainless steel blade 11 Tolor: preferably dark blue. 11 Trim stainless steel blade 11 Tolor: preferably dark blue. 11 Trim stainless steel blade 12 Trim stainless steel blade 13 Trim stainless steel blade 14 Trim stainless steel blade 15 Trim stainless steel blade 16 Trim stainless steel blade 16 Trim stainless steel blade 17 Trim stainless steel blade 16 Trim stainless steel blade 17 Trim stainless steel blade 18 Trim stainless steel blade 19 Trim stainless steel blade 10 Trim stainless steel blade 11 Trim stainless st			Expire and production date will be on label	-1		
For multipurpose liquid cleaner Arabic explanation will be on label. Expire and production date will be on label. 11 Shaving razors (Pack of 5.) Shaving cream Shaving cream Shaving cream Arabic explanations should be written on label 12 Shaving cream Shaving cream Arabic explanations should be written on label 13 Dishwashing lofa Packaging Arabic explanations should be written on label 15 Individual packing. Sponge for dishwashing Pack of 3 good quality Items (with specifications) will be ilsted in arabic and English on box. On cardboard box will be 5 layers , proper packaging with strap In a plastic container.						
multipurpose liquid cleaner Arabic explanation will be on label. Expire and production date will be on label. 11 Shaving razors (Pack of 5.) Shaving razors (Pack of 5.) Color: preferably dark blue. 12 Shaving cream Shaving cream, cool, moisturizing 13 Dishwashing lofa 1 Individual packing. Sponge for dishwashing Pack of 3 good quality 14 Packaging Individual packing. Sponge for dishwashing Pack of 3 good quality Items (with specifications) will be listed in arabic and English on box, 1 Cardboard box will be 5 layers , proper packaging with strap In a plastic container.			Best quality in the market.	1		
Expire and production date will be on label. 1 Packing: in plastic container of 900 ML with sealing liner. 1 Packing: in plastic container of 900 ML with sealing liner. 1		cleaner Shaving razors (Pack of	For multipurpose liquid cleaner	1		
Expire and production date will be on label. Packing: in plastic container of 900 ML with sealing liner. 11 Shaving razors (Pack of 5.) Twin stainless steel blade Arabic explanations should be written on label Color: preferably dark blue. 12 Shaving cream Shaving cream, cool, moisturizing Arabic explanations should be written on label 125 ML 13 Dishwashing lofa Individual packing. Sponge for dishwashing Pack of 3 good quality Items (with specifications) will be listed in arabic and English on box, On cardboard box will be arrow sign, Cardboard box will be 5 layers, proper packaging with strap In a plastic container. In a plastic container.	4.0		Arabic explanation will be on label.	1		
Packing: in plastic container of 900 ML with sealing liner. 1	10		Expire and production date will be on label.	1		
Twin stainless steel blade				1		
Shaving razors (Pack of 5.) Arabic explanations should be written on label Color: preferably dark blue. 12 Shaving cream Arabic explanations should be written on label 125 ML 13 Dishwashing lofa Dishwashing lofa Terms (with specifications) will be listed in arabic and English on box, 1 Packaging On cardboard box will be 5 layers, proper packaging with strap In a plastic container. In a plastic container. Arabic explanations should be written on label 1 Individual packing. Individual packing. Sponge for dishwashing Pack of 3 good quality 1 Items (with specifications) will be listed in arabic and English on box, 1 Cardboard box will be 5 layers, proper packaging with strap 1 Baby kit				1		
Color: preferably dark blue. 1	11			1		
Shaving cream				1		
125 ML				1		
13 Dishwashing lofa Individual packing. Sponge for dishwashing Pack of 3 good quality 1 14 Packaging Items (with specifications) will be listed in arabic and English on box, 1 On cardboard box will be arrow sign, 1 Cardboard box will be 5 layers , proper packaging with strap 1 Baby kit In a plastic container. 1	12			1		
Sponge for dishwashing Pack of 3 good quality 1 Items (with specifications) will be listed in arabic and English on box, 1 On cardboard box will be arrow sign, 1 Cardboard box will be 5 layers , proper packaging with strap 1 Baby kit In a plastic container. 1				1		
tems (with specifications) will be listed in arabic and English on box, 1 On cardboard box will be arrow sign, 1 Cardboard box will be 5 layers , proper packaging with strap 1 Baby kit In a plastic container. 1	13	Dishwashing lofa				
Packaging On cardboard box will be arrow sign, 1 Cardboard box will be 5 layers , proper packaging with strap 1 Baby kit In a plastic container. 1		·		1		
Cardboard box will be 5 layers , proper packaging with strap 1 Baby kit In a plastic container. 1	14			1		
In a plastic container.				1		
In a plastic container.						
Total weight 200 gr in one or two plastic container 1				1		
Total Hogen 200 g. in one of the placific bornainer			Total weight 200 gr in one or two plastic container	1		
		1	13 mangrit 200 gr in one or two plastic container			

1	Body Powder	Official stamp and number from country of origin	1	
	,			
		Expire and production date on label,	1	
		Arabic explanation will be on label.	1	
			1	
		Pack of 60 pieces Official stamp and number from country of origin.,	1	
2	Wet wipes	Expire and production date on label	1	
		Arabic explanation will be on label	1	
		in a plastic container,	1	
		Total volume 400 ml,	1	
3	Body Shampoo	Official stamp and number from country of origin	1	
	Body Champeo		1	
		. Expire and production date on label,	1	
		Arabic explanation will be on label.	'	
		Baby soap 90 gram	1	
4	Baby body soap		'	
4	Baby body soap	Official stamp and number from country of origin	'	
		Expire and production date on label,	1	
-		Arabic explanation will be on label.	1	
		Type 3-6 kg.	1	
	Child. Disposable	pack of 20 pieces.	1	
5	Diaper	Arabic explanation will be on label.	1	
		Expire and production date will be on label.	1	
		Best quality in the market.	1	
		Type 5-9 kg.	1	
_	Child Discount Dis	pack of 20 pieces.	1	
6	Offilia. Disposable Diaper	Arabic explanation will be on label. Expire and production date will be on label.	1	
		Best quality in the market.	1	
		100% cotton.	1	
7	Body overall 1	different size (different ages)	1	
		suitable for summer.	1	
8	Body overall 2	different size (different ages)		
		Warm suitable for cold winter months	1	
9	Baby Towel	Baby towel, Soft cotton.	1	
	+	Size: 250 ml.	1	
10	Feeding bottle	plastic bottles,	1	
		measuring scale.	1	
11	Plastic Container	Plastic storage container (40 ltr size) to fit above items. Labels, will be attached onto the Plastic Container in black or red ink	1	
	r lastic Container	on one side of each box	1	
42		TL115/F95/F95/F120/TL100	1	
12	Packaging	Labels will be printed or attached onto the boxes in black or red ink on one side for each box	1	
		WASH COVID1	Q iton	ne
		Produced locally olive oil based soap	J ILCII	
	Soap (produced locally		1	
1	olive oil based soap)	Sensitive antibacterial body soap with natural fragrance.	1	
		Made from vegetable or animal fats (not pork)	1	
<u> </u>		not harmful to the skin Made of 100% cotton	1	
		Size: 50x80 cm minimum,	1	
2	Towel	Pastel colours, not white	1	
		Must be fit for human utilization.	1	
		· fibres cannot be pulled easily by hand	1	
i				1
3	Buckets	20 Liters	1	
3	Buckets	with lid and tap	1	
3	Buckets	with lid and tap Water used for cleaning to be with a 0.5 mg/l	1 1	
3	Buckets	with lid and tap Water used for cleaning to be with a 0.5 mg/l chlorine solution or equivalent commercial bleach product	1 1	
	Buckets Bottle bleach with	with lid and tap Water used for cleaning to be with a 0.5 mg/l	1 1	
4		with lid and tap Water used for cleaning to be with a 0.5 mg/l chlorine solution or equivalent commercial bleach product concentrating on areas such as handles or hold locations.	1 1	
	Bottle bleach with	with lid and tap Water used for cleaning to be with a 0.5 mg/l chlorine solution or equivalent commercial bleach product concentrating on areas such as handles or hold locations. Arabic explanations should be written on label	1 1	
	Bottle bleach with	with lid and tap Water used for cleaning to be with a 0.5 mg/l chlorine solution or equivalent commercial bleach product concentrating on areas such as handles or hold locations.	1 1	
	Bottle bleach with	with lid and tap Water used for cleaning to be with a 0.5 mg/l chlorine solution or equivalent commercial bleach product concentrating on areas such as handles or hold locations. Arabic explanations should be written on label expiry date on the label The available bleach concentration in market is 5%	1 1 1	
	Bottle bleach with	with lid and tap Water used for cleaning to be with a 0.5 mg/l chlorine solution or equivalent commercial bleach product concentrating on areas such as handles or hold locations. Arabic explanations should be written on label expiry date on the label The available bleach concentration in market is 5%	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	Bottle bleach with	with lid and tap Water used for cleaning to be with a 0.5 mg/l chlorine solution or equivalent commercial bleach product concentrating on areas such as handles or hold locations. Arabic explanations should be written on label expiry date on the label The available bleach concentration in market is 5% Thick, above the wrist,	1 1 1 1 1 1 1	
4	Bottle bleach with instructions	with lid and tap Water used for cleaning to be with a 0.5 mg/l chlorine solution or equivalent commercial bleach product concentrating on areas such as handles or hold locations. . Arabic explanations should be written on label expiry date on the label The available bleach concentration in market is 5% Thick, above the wrist, suitable for chemical material	1 1 1 1 1 1 1 1 1 1	
4	Bottle bleach with instructions	with lid and tap Water used for cleaning to be with a 0.5 mg/l chlorine solution or equivalent commercial bleach product concentrating on areas such as handles or hold locations. Arabic explanations should be written on label expiry date on the label The available bleach concentration in market is 5% Thick, above the wrist,	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
4	Bottle bleach with instructions	with lid and tap Water used for cleaning to be with a 0.5 mg/l chlorine solution or equivalent commercial bleach product concentrating on areas such as handles or hold locations. Arabic explanations should be written on label expiry date on the label The available bleach concentration in market is 5% Thick, above the wrist, suitable for chemical material durable gloves for cleaning	1 1 1 1 1 1 1 1 1 1	
5	Bottle bleach with instructions	with lid and tap Water used for cleaning to be with a 0.5 mg/l chlorine solution or equivalent commercial bleach product concentrating on areas such as handles or hold locations Arabic explanations should be written on label expiry date on the label The available bleach concentration in market is 5% Thick, above the wrist, suitable for chemical material durable gloves for cleaning Heavy-duty plastic basin with 2 handles . Virgin food grade HDPE or virgin food grade LDPE or virgin food gra . Bottom diameter 60cm, height 15cm	1 1 1 1 1 1 1 1 1 1	
4	Bottle bleach with instructions	with lid and tap Water used for cleaning to be with a 0.5 mg/l chlorine solution or equivalent commercial bleach product concentrating on areas such as handles or hold locations Arabic explanations should be written on label expiry date on the label The available bleach concentration in market is 5% Thick, above the wrist, suitable for chemical material durable gloves for cleaning Heavy-duty plastic basin with 2 handles . Virgin food grade HDPE or virgin food grade LDPE or virgin food grade . Bottom diameter 60cm, height 15cm . Reinforced bottom ridge to prevent scraping of the base.	1 1 1 1 1 1 1 1 1 1	
5	Bottle bleach with instructions	with lid and tap Water used for cleaning to be with a 0.5 mg/l chlorine solution or equivalent commercial bleach product concentrating on areas such as handles or hold locations Arabic explanations should be written on label expiry date on the label The available bleach concentration in market is 5% Thick, above the wrist, suitable for chemical material durable gloves for cleaning Heavy-duty plastic basin with 2 handles . Virgin food grade HDPE or virgin food grade LDPE or virgin food gra . Bottom diameter 60cm, height 15cm	1 1 1 1 1 1 1 1 1 1	

l			No holes, no tear, no sharp edge, smooth and clean surface finish	1	
	Cleaning kit				
1			The length floor wiper 50 cm.	1	
	Floor wiper – long handle	handl made of good wood			
			The length of the handleis 1,20cm	1	

		Handlelength 115 cm m good wood .	1	
	Broom – long handle , hard bruh	The length of the broom is 25 cm.	1	
2		hard bruh.Hygienic, solid block polypropylene construction	1	
		Low water absorption polyester bristles with stainless steel staples	1	
3	Multi Purpose gel	A multi-use gel material (washing - cleaning surfaces - floors)	1	
4	Boots	multiple sizes 38-45	1	
4		good quality	1	
5	Face mask	dustproof and antibiotic , products	1	
5	race mask	mask of cloth ence only	1	
		good quality plastic that	1	
6	Gloves, dishwashing	not cause skin allergies	1	
		different sizes	1	
7	sink plunger	It should be good plastic that won't break quickly	1	
8	Toilet Brush	It should be good plastic that won't break quickly .	1	
		Chlorine tablets a	and p	owder
		Available Chlorine 60% to 70%.	1	
	HTH (Calcium hypochlorite) Powder	Powder size of grain 65µm	1	
7		 In water proof barrels in HDPE (45 - 50 kg) perfectly sealed, with proper label (brand / origin / characteristic / norm and or certificates) and security indication on the barrels 	1	
		With indication of production date and expiration date. Expired date will be at least 6 months older than the date of delivery)	1	
		For drinking water disinfection used (certificate)	1	
	Aluminium Sulphate Powder	Aluminium sulfate is a chemical compound with the formula Al2(SO4)3. It is soluble in water and is mainly used as a coagulating agent (promoting particle collision by neutralizing charge) in the purification of drinking water	1	
8		- Ground alum is as a fine white powder which comes in 25-50 kg bag lots.	1	
		- Lump (kibbled) alum is in a lump form (approximately 10-75 mm sieve diameter size) and generally comes in 25-50 kg bag lots	1	
		- For drinking water disinfection used (certificate)	1	
	NaDCC Sodium DichloroisoCyanurate	1.67g of NaDCC 0.1% available chlorine	1	
		Tablets of XX g – box of 200,1000 tablets or bucket of 5000 tablet	1	
9		With indication of production date and expiration date. Expired date will be at least 2 years older than the date of delivery).	1	
		In plastic box, wate proof	1	
		For drinking water disinfection used (certificate)	1	