

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
List 1 - Raw Materials for Pump Maintenance								
1	stainless steel 304 round bar diameter 56 mm in 3 m length, will be machined from 60 mm	ANY ORIGIN				YES		
2	stainless steel 304 round bar diameter 50 mm in 3 m length	ANY ORIGIN				YES		
3	stainless steel 304 hollow bar o.d 240 mm i.d 210 mm in 1 m length	ANY ORIGIN				YES		
4	stainless steel 304 hollow bar o.d 48 mm i.d 38 mm in 1 m length	ANY ORIGIN				YES		
5	stainless steel 304 hollow bar o.d 220 mm i.d 170 mm in 1 m length	ANY ORIGIN				YES		
6	bronze hollow bar o.d 160 mm i.d 150 mm in 1 m length	ANY ORIGIN				YES		
7	bronze hollow bar o.d 210 mm i.d 170 mm in 1 m length	ANY ORIGIN				YES		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
8	bronze hollow bar o.d 230 mm i.d 190 mm in 1 m length	ANY ORIGIN				YES		
9	bronze hollow bar o.d 80 mm i.d 25 mm in 1 m length	ANY ORIGIN				YES		
10	bronze hollow bar o.d 80 mm i.d 35 mm in 1 m length	ANY ORIGIN				YES		
11	bronze hollow bar o.d 80 mm i.d 50 mm in 1 m length	ANY ORIGIN				YES		
12	bronze round bar diameter 80 mm in 1 meter length	ANY ORIGIN				YES		
13	bronze round bar diameter 100 mm in 1 meter length	ANY ORIGIN				YES		
14	bronze round bar diameter 120 mm in 1 meter length	ANY ORIGIN				YES		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
List 2 - HDPE Pipes & Fittings								
1	ELECTRO FUSION COUPLER FOR HDPE PIPE DN 250	ANY ORIGIN				YES		
2	ELECTRO FUSION COUPLER FOR HDPE PIPE DN 180	ANY ORIGIN				YES		
3	ELECTRO FUSION COUPLER FOR HDPE PIPE DN 125	ANY ORIGIN				YES		
4	ELECTRO FUSION COUPLER FOR HDPE PIPE DN 90	ANY ORIGIN				YES		
5	E.F Reducer Tee 250*180*250mm PN16.	ANY ORIGIN				YES		
6	E.F Branch Tee 180*125mm PN16.	ANY ORIGIN				YES		
7	E.F Branch Tee 125*90mm PN16.	ANY ORIGIN				YES		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
8	ELECTRO FUSION ELBPW 90 DEGREE FOR HDPE PIPE DN 90	ANY ORIGIN				YES		
9	ELECTRO FUSION ELBPW 45 DEGREE FOR HDPE PIPE DN 90	ANY ORIGIN				YES		
10	ELECTRO FUSION END CAP FOR HDPE PIPE DN 250	ANY ORIGIN				YES		
11	ELECTRO FUSION END CAP FOR HDPE PIPE DN 180	ANY ORIGIN				YES		
12	ELECTRO FUSION END CAP FOR HDPE PIPE DN 125	ANY ORIGIN				YES		
13	ELECTRO FUSION END CAP FOR HDPE PIPE DN 90	ANY ORIGIN				YES		
14	ELECTRO FUSION TEE FOR HDPE PIPE DN 125	ANY ORIGIN				YES		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
15	ELECTRO FUSION TEE FOR HDPE PIPE DN 90	ANY ORIGIN				YES		
16	B.F Flange (Stub flange and Ring and Gasket) 250mm PN16.	ANY ORIGIN				YES		
17	B.F Flange (Stub flange and Ring and Gasket) 180mm PN16.	ANY ORIGIN				YES		
18	B.F Flange (Stub flange and Ring and Gasket) 125mm PN16.	ANY ORIGIN				YES		
19	B.F Flange (Stub flange and Ring and Gasket) 90mm PN16.	ANY ORIGIN				YES		
20	HDPE Pipe OD250mm Thickness 22.7mm , SDR11 PE100 PN16. Length 12Mtr	ANY ORIGIN				YES		
21	HDPE Pipe OD180mm Thickness 16.4mm , SDR11 PE100 PN16. Length 12Mtr	ANY ORIGIN				YES		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
22	HDPE Pipe OD125mm Thickness 11.4mm , SDR11 PE100 PN16. 100Mtr/Roll	ANY ORIGIN				YES		
23	ELECTRO FUSION REDUCER FOR HDPE PIPE DN 90 * DN 63	ANY ORIGIN				YES		
24	HDPE Hose 90 MM PN 16	ANY ORIGIN				YES		
25	HDPE Hose 110 MM PN 16	ANY ORIGIN				YES		
26	ELECTRO FUSION REDUCER FOR HDPE PIPE DN 90 * DN 75	ANY ORIGIN				YES		
List 3 - Pipes and Fittings								
1	Gate Valve DN 80 , cast iron body with handel PN 10-16 with flanges and gaskets and bolts	ANY ORIGIN				YES		
2	Gate Valve DN 100 , cast iron body with handel PN 10-16 with flanges and	ANY ORIGIN				YES		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
	gaskets and bolts							
3	Gate valve DN 150 PN 10 , with bolts and gaskets , body : cast iron , Disc : bronze with bolts and gaskets	ANY ORIGIN				YES		
4	Gate valve DN 200 PN 10 , with bolts and gaskets , body : cast iron , Disc : bronze with bolts and gask	ANY ORIGIN				YES		
5	Gate Valve DN 350 , cast iron body with handel PN 10-16 with flanges and gaskets and bolts	ANY ORIGIN				YES		
6	Gate valve DN 500 PN 10 , with bolts and gaskets , body : cast iron , Disc : bronze with bolts and gask	ANY ORIGIN				YES		
7	Butterfly Valve DN 400 PN 10 Desc : stainless steel , Lining : EPDM , Body : Cast Iron , Operation : Gear operated	ANY ORIGIN				YES		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
8	Butterfly Valve DN 600 PN 10 Desc : stainless steel , Lining : EPDM , Body : Cast Iron , Operation : Gear operated	ANY ORIGIN				YES		
9	2 Inch DN 50 Automatic Air Release Valve Assembly For Liquid with flanges and gaskets and bolts	ANY ORIGIN				YES		
10	3 Inch DN 80 Automatic Air Release Valve Assembly For Liquid with gasket and bolts	ANY ORIGIN				YES		
11	4 Inch DN 100 Automatic Air Release Valve Assembly For Liquid with flanges and gaskets and bolts	ANY ORIGIN				YES		
12	6 Inch DN150 Automatic Air Release Valve Assembly For Liquid with flanges and gaskets and bolts	ANY ORIGIN				YES		



MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
13	DUCTILE IRON PIPE SIZE 100 MM	ANY ORIGIN				YES		
14	DUCTILE IRON PIPE SIZE 150 MM IN 6 M LENGTH	ANY ORIGIN				YES		
15	DUCTILE IRON PIPE SIZE 200 MM IN 6 M LENGTH	ANY ORIGIN				YES		
16	DUCTILE IRON PIPE SIZE 250 MM IN 6 M LENGTH	ANY ORIGIN				YES		
17	DUCTILE IRON PIPE SIZE 300 MM IN 6 M LENGTH	ANY ORIGIN				YES		
19	Galvanised steel pipe 2 " Thickness 3 MM	ANY ORIGIN				YES		
20	Galvanised steel pipe 3 " Thickness 5 MM	ANY ORIGIN				YES		

**MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN**

**Attachment 6a – Response Sheet**



<b>No.</b>	<b>Item Description</b>	<b>Accepted COO</b>	<b>All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)</b>	<b>List any different specs</b>	<b>CoO - Country of Origin</b>	<b>Data sheet needed for this item</b>	<b>Data sheet submitted for this item?. (YES/NO)</b>	<b>Delivery period</b>
21	Galvanised steel pipe 4 " Thickness 6 MM	ANY ORIGIN				YES		
22	UPVC Flange 160mm R.R PN10.	ANY ORIGIN				YES		
23	UPVC Flange 200mm R.R PN10.	ANY ORIGIN				YES		
24	UPVC Flange 250mm R.R PN10	ANY ORIGIN				YES		
25	UPVC Flange 315mm R.R PN10.	ANY ORIGIN				YES		
25	HDPE Hose 110 MM PN 16	ANY ORIGIN				YES		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
List 4 - Operation & Maintenance Tools and Equipment								
1	<b>Diesel Engine-Driven Welder / Generator</b> ماكينة لحام تعمل على الديزل <b>Diesel Engine-Driven Welder/Generator with no circuit boards, with 32 HP EPA Tier 4i compliant, direct-injected, 3-cylinder, air/oil-cooled diesel engine. Generator Output Rated at 40° C: Peak: 5.5 kVA, Continuous: 4.0 kVA, 1-phase, 34/17 A, 120/240 VAC, 50/60 Hz while welding Weld Output Rated at 40° C: 400 A at 36 V, 100% duty cycle &amp; 500 A at 30 V, 40% duty cycle Warranty: 3 years</b>	USA, EUORPE, JAPAN				YES		
	<b>Welding Cable 70 mm2</b> كيبيل لحام 70 مم2	USA, EUORPE, JAPAN				NO		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
	Earth Cable 70 mm2 كابل ارضي 70 مم2	USA, EUORPE, JAPAN				NO		
	Heavy Duty Electrode Holder 600 Amp مقبض لحام 600 أمبير	USA, EUORPE, JAPAN				NO		
	Heavy Duty Earth- Ground Clamp 600 amp لاقط أرضي 600 أمبير	USA, EUORPE, JAPAN				NO		
	Air cooled TIG Torch, Length: 8 m فرد لحام ارغون, طول 8 متر	USA, EUORPE, JAPAN				NO		
	Argon Gas Regulator منظم غاز ارغون	USA, EUORPE, JAPAN				NO		
2	Air Compressor (can be used for Air Carbon Arc Cutting & Gouging) كمبرسور هواء مناسب للاستعمال مع (ماكينة الديزل لقص الكاوچنغ) Air Compressor, two stage compressor pump with cast iron cylinder, finned	USA, EUORPE, JAPAN				YES		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
	aftercooler for lower temperature compressed air to be used for (CAC-A), 3 Phase, 400 V/50HZ, 500L, 827 l/min, 28.9 CFM, 7.5 HP, 5.5 kW, 1400 rpm, 11 bar							
3	<p>Air Plasma Cutting and Gouging machine</p> <p>ماكينة قص تعمل بنظام البلازما</p> <p>Air Plasma Cutting and Gouging machine, 208-575V 1-/3-phase, 50/60Hz, LVC up to +/- 15%, Cutting:- Rated: 22.2 mm, Sever: 32 mm, Material: carbon steel, stainless steel, aluminum, copper, brass, cast metal, &amp; exotic alloys, 380-575V: 100% duty cycle at 60 A, Auto-Refire technology, Automatic Air Regulation, LED indicators for power, pressure,</p>	USA, EUORPE, JAPAN				YES		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
	cup and temperature Warranty: 3 years							
4	Air Compressor (can be used for plasma cutting machine) كمپرسور هوا مناسب للاستعمال مع (ماكينة قص بلازما) Air Compressor, belt guard cooling design, 270 L, 393 l/min, 3 HP, 2.2 kW, 1050 rpm, 10 bar, 93 dB(A)	USA, Europe, Japan				YES		
5	Low Hydrogen Welding Electrode, AWS: E7018, size: 3.25 mm أسلاك لحام حديد E7018 , 3.25 : قياس مم TS EN ISO 2560 A E 42 3 B 42 H10, New Production Size: 3.25 x 500 mm, Packing: 5 kg/pack Approvals & Certificates: RINA, BV, DB, LR, HAKC, TUV, TSE, ABS, CWB, ClassNK, DNV- GL, TL, CE, GOST	USA, Europe, Japan Turkey				NO		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
6	Carbon Steel Welding Electrode, AWS: E6013, size: 3.25 mm أسلاك لحام حديد (خليبي) E6013 , 3.25 : قياس مم TS EN ISO 2560 A E 42 0 RR 12, New Production Size: 3.25 x 350 mm, Packing: 5 kg/pack Approvals & Certificates: CE, DB, TSE, TUV, ABS, TL, GOST, BV, CWB	USA, Europe, Japan Turkey				NO		
7	Carbon Steel Welding Electrode, AWS: E6013, size 2.50 mm TS EN ISO 2560 A E 42 0 RR 12, New Production Size: 2.50 x 350 mm, Packing: 5 kg/pack Approvals & Certificates: CE, DB, TSE, TUV, ABS, TL, GOST BV, CWB أسلاك لحام حديد (خليبي) E6013 , 2.50 : قياس مم	USA, Europe, Japan Turkey				NO		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
8	<b>Ductile Cast Iron Welding Electrode, AWS: ENiFeCl, size: 3.25 mm</b> <b>أسلاك لحام سكب دكتايل E NiFeCl , قياس: 3.25 مم</b> <b>Welding Electrode for Cast Iron 416 (NiFe) (Ductile) TS EN ISO 1071 E C NiFeCl 3, New Production Size: 3.25 x 300 mm, Packing: 2 kg/pack (vacuum) Approvals &amp; Certificates: GOST</b>	USA, Europe, Japan Turkey				NO		
9	<b>Stainless Steel Welding Electrode, AWS: E316L-16, size: 3.25 mm</b> <b>أسلاك لحام ستانلس E 316L-16 , قياس: 3.25 مم</b> <b>TS EN ISO 3581 A E 19 12 3 L R 32, New Production Size: 3.25 x 300 mm, Packing: 2 kg/pack (vacuum) Approvals &amp; Certificates: DNV-GL, TSE, CWB, BV, TUV, CE, GOST</b>	USA, Europe, Japan Turkey				NO		



MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
10	<b>Bronze (brass) Brazing Rod, AWS: RB CuZnA, size: 3x1000 mm</b> <b>أسلاك لحام نحاس هيلكو أصلي طول 1 متر، قياس: 3 مم</b> <b>OAW Solid wire, New Production Size: 3.00 x 1000 mm, Packing: 5 kg/pack</b>	USA, Europe, Japan, Turkey				NO		
11	<b>Brushless 3/4" Impact Wrench 40 V (Rechargeable)</b> <b>درل شحن 40 فولت</b> <b>Battery Voltage: 40 V, Impacts per minute: 0-2500 (Hi), 0-2200 (Med), 0-1900 (Lo), No Load Speed : 0-1800 rpm (Hi), 0-1150 rpm (Med), 0-950 rpm (Lo), Torque Max: 2050 Nm, Chuck Capacity: square drive 19 mm (3/4"), Standard Bolt Capacity: M14-M36, High Tensile Bolt: M12-M27, Net Weight: 3.9-4.2 kg, with belt hook included</b> <b>Warranty: 1 year</b>	USA, Europe, Japan, Turkey				YES		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
12	Industrial Type Fan مروحة شفط صناعية Size: 30 cm, Power: 125W, Rotation: 1400, Flow: 2200	USA , Europe, Japan Turkey				YES		
13	Lathe Machine 3000 MM , Multi tasks. J.V.A. may Accept warranted second-hand lathe machine.	USA, Europe, Japan				YES		
14	GEL Battery 12 Volt – 100 Amp	USA, Europe, Japan				YES		
15	Smart Charger 24 VDC – 34.7 Amp	Non Chinese				YES		
16	Vega Sensor C 21 Code: ra-222 22H	USA, Europe, Japan				YES		
17	Loop Calibration Injection Fluke 705	USA, Europe, Japan				YES		
18	Clamp On Process meter DC Kyoritsu KEW-2510	USA, Europe, Japan				YES		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
19	Digital Multimeter KEW-1050	USA, Europe, Japan				YES		
20	Multifunction Calibrator Fluke -725	USA, Europe, Japan				YES		
21	SIMATIC S7-1200, CPU 1214C, DC/DC/DC	Germany				YES		
22	SIMATIC S7-1200, CPU 1212C, DC/DC/DC	Germany				YES		
23	SIMATIC S7-1200, SM 1231, 4 AI, mA, +/-1	Germany				YES		
24	Control & Signal Cable Shielded (Braid) 2C x 1.0 mm2	Jordan, USA, Europe Japan, Turkey				NO		
25	Control & Signal Cable Twisted Shielded (Braid) 2 x 2 x 1.0 mm2	Jordan, USA, Europe Japan, Turkey				NO		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs-attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
26	Control & Signal Cable Shielded (Braid) 20C x 1.5 mm2	Jordan, USA, Europe Japan, Turkey				NO		
27	Flexible Cable Single 1.50 mm2	Jordan, USA, Europe Japan, Turkey				NO		
28	Bearing No.7328	USA, Europe, Japan				NO		
29	Bearing No.29416	USA, Europe, Japan				NO		
30	Bearing No.6315	USA, Europe, Japan				NO		
31	Bearing No.6220	USA, Europe, Japan				NO		
32	Bearing No.7322	USA, Europe, Japan				NO		

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND  
PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN  
JORDAN

Attachment 6a – Response Sheet



No.	Item Description	Accepted COO	All specifications (in the description and in the tech. specs docs- attachment X) are met? (YES/NO)	List any different specs	CoO - Country of Origin	Data sheet needed for this item	Data sheet submitted for this item?. (YES/NO)	Delivery period
33	Bearing No.7322	USA, Europe, Japan				NO		
34	Bench press 20 ton	USA, Europe, Japan				NO		

**MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN**

**Attachment 6a – Response Sheet**



References: Please fill the table below with previous clients (at least 5 references should be provided):

No.	Client Name	Contact Name	Phone	Email Address
1				
2				
3				
4				
5				