

MC-20-2021 REQUEST FOR BID FOR PROVISION OF PIPES, FITTINGS, TOOLS AND PUMP
MAINTENANCE EQUIPMENT FOR DIFFERENT JVA WATER PROJECTS IN JORDAN

Attachment 5- Price Offer Sheet



List 4 - O. & M. Tools and Equipment
Delivery Location : Jordan Valley/Dair Alaa - fanoosh Warehouse

No.	Item Description	Quantity	Unit of Measure (please specify)	Unit Price	Warranty Price	Total Price
1	Diesel Engine-Driven Welder / Generator ماتكة لحام تعمل على الديزل Diesel Engine-Driven Welder/Generator with no circuit boards, with 32 HP EPA Tier 4i compliant, direct-injected, 3- cylinder, air/oil-cooled diesel engine. Generator Output Rated at 40° C: Peak: 5.5 kVA, Continuous: 4.0 kVA, 1-phase, 34/17 A, 120/240 VAC, 50/60 Hz while welding Weld Output Rated at 40° C: 400 A at 36 V,100% duty cycle & 500 A at 30 V, 40% duty cycle 3-year Manufacturer warranty	3	Pc			
	Welding Cable 70 mm2 كابل لحام 70 مم2		Mtr			
	Earth Cable 70 mm2 كابل ارضي 70 مم2		Mtr			
	Heavy Duty Electrode Holder 600 Amp مقبض لحام 600 امبير		Pc			
	Heavy Duty Earth- Ground Clamp 600 amp لاقط ارضي 600 امبير		Pc			
	Air cooled TIG Torch, Length: 8 m فرد لحام ارجون, طول 8 متر		Pc			
	Argon Gas Regulator منظم غاز ارجون		Pc			
	Argon Gas Cylinder اسطوانة غاز ارجون		Pc			
	Air Carbon Arc Gouging Torch فرد قص كاوچنج		Pc			
2	Air Compressor (can be used for Air Carbon Arc Cutting & Gouging) كمبرسور هواء (مناسب للاستعمال مع ماتكة الديزل لقص الكاوچنج) Air Compressor, two stage compressor pump with cast iron cylinder, finned aftercooler for lower temperature compressed air to be used for (CAC-A), 3 Phase, 400 V/50HZ, 500L, 827 l/min, 28.9 CFM, 7.5 HP, 5.5 kW, 1400 rpm, 11 bar	3	Set			
3	Air Plasma Cutting and Gouging machine ماتكة قص تعمل بنظام البلازما Air Plasma Cutting and Gouging machine, 208-575V 1-/3- phase, 50/60Hz, LVC up to +/- 15%, Cutting:- Rated: 22.2 mm, Sever: 32 mm, Material: carbon steel, stainless steel, aluminum, copper, brass, cast metal, & exotic alloys, 380- 575V: 100% duty cycle at 60 A, Auto-Refire technology, Automatic Air Regulation, LED indicators for power, pressure, cup and temperature 3-year Manufacturer warranty	1	Set			
4	Air Compressor (can be used for plasma cutting machine) كمبرسور هواء (مناسب للاستعمال مع ماتكة قص بلازما) Air Compressor, belt guard cooling design, 270 L, 393 l/min, 3 HP, 2.2 kW, 1050 rpm, 10 bar, 93 dB(A)	1	Set			
5	Low Hydrogen Welding Electrode, AWS: E7018, size: 3.25 mm قياس: 3.25 مم , E7018 أسلاك لحام حديد TS EN ISO 2560 A E 42 3 B 42 H10, New Production Size: 3.25 x 500 mm, Packing: 5 kg/pack Approvals & Certificates: RINA, BV, DB, LR, HAKC, TUV, TSE, ABS, CWB, ClassNK, DNV-GL, TL, CE, GOST	600	Kg			
6	Carbon Steel Welding Electrode, AWS: E6013, size: 3.25 mm قياس: 3.25 مم , E6013 أسلاك لحام حديد (خيلي) TS EN ISO 2560 A E 42 0 RR 12, New Production Size: 3.25 x 350 mm, Packing: 5 kg/pack Approvals & Certificates: CE, DB, TSE, TUV, ABS, TL, GOST, BV, CWB	850	Kg			

7	Carbon Steel Welding Electrode, AWS: E6013, size 2.50 mm TS EN ISO 2560 A E 42 0 RR 12, New Production Size: 2.50 x 350 mm, Packing: 5 kg/pack Approvals & Certificates: CE, DB, TSE, TUV, ABS, TL, GOST BV, CWB قياس: 2.50 مم , أسلاك لحام حديد (خليجي) E6013	500	Kg		
8	Ductile Cast Iron Welding Electrode, AWS: ENiFeCl, size: 3.25 mm قياس: 3.25 مم , E NiFeCl أسلاك لحام سبك دكتايل Welding Electrode for Cast Iron 416 (NiFe) (Ductile) TS EN ISO 1071 E C NiFeCl 3, New Production Size: 3.25 x 300 mm, Packing: 2 kg/pack (vacuum) Approvals & Certificates: GOST	750	Kg		
9	Stainless Steel Welding Electrode, AWS: E316L-16, size: 3.25 mm قياس: 3.25 مم , E 316L-16 أسلاك لحام ستانلس ستيل TS EN ISO 3581 A E 19 12 3 L R 32, New Production Size: 3.25 x 300 mm, Packing: 2 kg/pack (vacuum) Approvals & Certificates: DNV-GL, TSE, CWB, BV, TUV, CE, GOST	200	Kg		
10	Bronze (brass) Brazing Rod, AWS: RB CuZnA, size: 3x1000 mm أسلاك لحام نحاس هيلكو اصلي طول 1 متر, قياس: 3 مم OAW Solid wire, New Production Size: 3.00 x 1000 mm, Packing: 5 kg/pack	75	Kg		
11	Brushless 3/4" Impact Wrench 40 V (Rechargeable) دول شحن 40 فولت Battery Voltage: 40 V, Impacts per minute: 0-2500 (Hi), 0-2200 (Med), 0-1900 (Lo), No Load Speed : 0-1800 rpm (Hi), 0-1150 rpm (Med), 0-950 rpm (Lo), Torque Max: 2050 Nm, Chuck Capacity: square drive 19 mm (3/4"), Standard Bolt Capacity: M14-M36, High Tensile Bolt: M12-M27, Net Weight: 3.9-4.2 kg, with belt hook included 1-year Manufacturer warranty	5	Set		
12	Industrial Type Fan مروحة شفاط صناعية Size: 30 cm, Power: 125W, Rotation: 1400, Flow: 2200	40	Set		
13	Lathe Machine 3000 MM , Multi tasks. J.V.A. may Accept warranted second-hand lathe machine.	1	Pc		
14	GEL Battery 12 Volt – 100 Amp	50	Set		
15	Smart Charger 24 VDC – 34.7 Amp	20	Set		
16	Vega Sensor C 21 Code: ra-222 22H	3	Set		
17	Loop Calibration Injection Fluke 705	1	Set		
18	Clamp On Process meter DC Kyoritsu KEW-2510	1	Set		
19	Digital Multimeter KEW-1050	3	Set		
20	Multifunction Calibrator Fluke -725	1	Set		
21	SIMATIC S7-1200, CPU 1214C, DC/DC/DC	6	Set		
22	SIMATIC S7-1200, CPU 1212C, DC/DC/DC	6	Set		
23	SIMATIC S7-1200, SM 1231, 4 AI, mA, +/-1	6	Set		
24	Control & Signal Cable Shielded (Braid) 2C x 1.0 mm2	400	M		
25	Control & Signal Cable Twisted Shielded (Braid) 2 x 2 x 1.0 mm2	400	M		
26	Control & Signal Cable Shielded (Braid) 20C x 1.5 mm2	400	M		
27	Flexible Cable Single 1.50 mm2	5	Roll		
28	Bearing No.7328	14	Pc		
29	Bearing No.29416	4	Pc		
30	Bearing No.6315	10	Pc		
31	Bearing No.6220	10	Pc		
32	Bearing No.7322	5	Pc		
32	Bearing No.7322	5	Pc		
33	Bench press 20 ton	1	Pc		

Sales Tax will be Exempted from USAID-WIT Program

Total price :

Payment Terms	Notes: Advance payments- if needed- cannot exceed 30% of the contract total value, and will not be made unless an advance payment bond is submitted with the same amount, valid for the whole contract period
Company Name:	
Name of Representative:	
Title:	
Signature:	
Date:	

Tender #: MC-xxx-2021	Tender Package :
-----------------------	------------------